



7855 HASKELL AVENUE, SUITE 200
VAN NUYS, CA 91406-1902
P 818.782.6445 | 800.6EASTON | F 800.800.8734

EASTON.COM



ENGINEERED FOR GLORY™

2013-2014 BASEBALL / SOFTBALL BATS

EASTON

MAKO

POWER BRIGADE

PERSONALIZE YOUR POWER

INTRODUCING MAKO.

THE FASTEST BAT THROUGH THE ZONE,
WITH THE MOST BARREL IN THE ZONE.

MAKO

SPEED + MASS = POWER

The new TCT™ Thermo Composite Technology increases barrel length while reducing MOI and increasing swing speed

XL1

MASS = POWER

Monster barrel design with fast swing speed

S1, S2, S3, S4

SPEED = POWER

Speed Series bats designed for low MOI and fast swing speed





MAKO (-3) BB14MK
FASTEST BAT THRU THE ZONE, WITH THE MOST BARREL IN THE ZONE



S1 (-3) BB14S1
THE PROVEN LEADER IN BAT SPEED



XL1 (-3) BB14X1
MONSTER BARREL DESIGN WITH FAST SWING SPEED



S2 (-3) BB14S2
TWO-PIECE HYBRID DESIGN FOR OPTIMAL FEEL AND PERFORMANCE



S3 (-3) BB14S3
ONE-PIECE DESIGN FOR STIFF FLEX AND MAXIMUM PERFORMANCE



S4 (-3) 2 1/2" BB14S4
THE FASTEST SWINGING ALUMINUM BBCOR BAT IN THE GAME



MAKO (-3) BB14MK NEW A111 642

New TCT™ Thermo Composite Technology for a massive sweet spot and unmatched bat speed

Patented two-piece ConneXion™ technology maximizes energy transfer for optimized feel

31/32" composite handle with performance diamond grip

31/28
32/29
33/30
34/31
SIZES

2-5/8"
BARREL

08.30.13
LAUNCH

• BBCOR .50 •



S1 (-3) BB14S1 NEW A111 643

IMX™ composite barrel optimizes the sweet spot for maximum performance

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

31/32" composite handle with performance diamond grip

31/28
32/29
33/30
34/31
SIZES

2-5/8"
BARREL

08.30.13
LAUNCH

• BBCOR .50 •



XL1 (-3) BB14X1 NEW A111 644

IMX™ composite Monster Barrel design engineered for a massive sweet spot

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

31/32" composite handle with performance diamond grip

31/28
32/29
33/30
34/31
SIZES

2-5/8"
BARREL

08.30.13
LAUNCH

• BBCOR .50 •



S2 (-3) BB14S2 NEW A111 645

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability

31/32" composite handle with performance diamond grip

31/28
32/29
33/30
34/31
SIZES

2-5/8"
BARREL

08.30.13
LAUNCH

• BBCOR .50 •



S3 (-3) BB14S3 NEW A111 646

THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability

Thin 31/32" tapered handle with performance diamond grip

30/27
31/28
32/29
33/30
34/31
SIZES

2-5/8"
BARREL

08.30.13
LAUNCH

• BBCOR .50 •



S4 (-3) 2 1/2" BB14S4 NEW A111 647

THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability

Thin 31/32" tapered handle with performance diamond grip

29/26
30/27
31/28
32/29
33/30
34/31
SIZES

2-1/2"
BARREL

08.30.13
LAUNCH

• BBCOR .50 •



SPEED BRIGADE

ENGINEERED FOR
SPEED AT EVERY LEVEL

INTRODUCING SPEED BRIGADE.
EVENLY BALANCED DESIGNS FOR LIGHTER SWING WEIGHTS.

BBCOR SPEED BRIGADE



S500 (-3) BB14S500



S400 (-3) BB14S400



S200 (-3) BB14S200

05



S500 (-3) BB14S500

A111 657

7050 Aircraft Alloy for fast swing speed

Thin 31/32" tapered handle with pro tack grip

31/28
32/29
33/30
34/31
SIZES

2-5/8" BARREL



S400 (-3) BB14S400

A111 658

Durable aluminum alloy

Thin 31/32" tapered handle with pro tack grip

30/27
31/28
32/29
33/30
34/31
SIZES

2-5/8" BARREL



S200 (-3) BB14S200

A111 659

Durable aluminum alloy

Thin 31/32" tapered handle with cushioned grip

30/27
31/28
32/29
33/30
34/31
SIZES

2-5/8" BARREL

FUNGO/TRAINING



FUNGO F4

A111 60435

Infield and outfield fungo

Thin 31/32" handle with pro-taped grip

35/22
SIZES



THUNDERSTICK T10/T11

A111 48133

A112 63630

Unique hand-eye training aid

1" barrel diameter

33/37
SIZES

30/26
SIZES





MAKO (-10) 2 3/4" SL14MKB



S1 (-10) 2 5/8" SL14S110



XL1 (-8) 2 5/8" SL14X18

XL1 (-5) 2 5/8" SL14X15



S2 (-10) 2 5/8" SL14S210



S3 (-10) 2 5/8" SL14S310



S3 (-10) 2 3/4" SL14S310B



XL3 (-9) 2 5/8" SL14X39

XL3 (-5) 2 5/8" SL14X35



MAKO (-10) 2 3/4" SL14MKB NEW A111 648

New TCT™ Thermo Composite Technology for a massive sweet spot

Patented two-piece ConneXion™ technology maximizes energy transfer for optimized feel

Ultra-thin 29/32" composite handle with performance diamond grip

27/17	2-3/4"
28/18	BARREL
29/19	08.30.13 LAUNCH
30/20	USSSA
31/21	1.15
32/22	SIZES



S1 (-10) 2 5/8" SL14S110 NEW A111 649

IMX™ composite barrel optimizes the sweet spot for maximum performance

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

Ultra-thin 29/32" composite handle with performance diamond grip

27/17	2-5/8"
28/18	BARREL
29/19	11.01.13 LAUNCH
30/20	USSSA
31/21	1.15
32/22	SIZES



XL1 (-8) 2 5/8" SL14X18 NEW A111 650

IMX™ composite Monster Barrel design engineered for a massive sweet spot and maximum performance

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

Ultra-thin 29/32" composite handle with performance diamond grip

29/21	2-5/8"
30/22	BARREL
31/23	USSSA
32/24	1.15
SIZES	11.01.13 LAUNCH

XL1 (-5) 2 5/8" SL14X15 NEW A111 651

Above specs apply to: XL1 (-5) and XL1 (-8)

30/25	2-5/8"
31/26	BARREL
32/27	USSSA
SIZES	1.15
11.01.13	LAUNCH



S2 (-10) 2 5/8" SL14S210 NEW A111 652

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability

Ultra-thin 29/32" composite handle with performance diamond grip

27/17	2-5/8"
28/18	BARREL
29/19	11.01.13 LAUNCH
30/20	USSSA
31/21	1.15
32/22	SIZES



S3 (-10) 2 5/8" SL14S310 NEW A111 653

THT100™ Scandium alloy for an expanded sweet spot and greater durability

Ultra-thin 29/32" handle with performance diamond grip

25/15	2-5/8"
26/16	BARREL
27/17	11.01.13 LAUNCH
28/18	USSSA
29/19	1.15
30/20	1.15
31/21	SIZES
32/22	SIZES



S3 (-10) 2 3/4" SL14S310B NEW A111 654

THT100™ Scandium alloy for an expanded sweet spot and greater durability

Ultra-thin 29/32" handle with performance diamond grip

27/17	2-3/4"
28/18	BARREL
29/19	08.30.13 LAUNCH
30/20	USSSA
31/21	1.15
32/22	SIZES



XL3 (-9) 2 5/8" SL14X39 NEW A111 655

Extra-long Monster Barrel design
THT100™ Scandium alloy for an expanded sweet spot and greater durability

Ultra-thin 29/32" handle with performance diamond grip

30/21	2-5/8"
31/22	BARREL
32/23	USSSA
SIZES	1.15
11.01.13	LAUNCH

XL3 (-5) 2 5/8" SL14X35 NEW A111 656

Above specs apply to: XL3 (-5) and XL3 (-9)

30/25	2-5/8"
31/26	BARREL
32/27	USSSA
SIZES	1.15
11.01.13	LAUNCH



BP WITH THE NEW MAKO

BIG BARREL *SPEED BRIGADE*



S500 (-9) 2 5/8" SL14S500



S500 (-5) 2 5/8" SL14S500



S400 (-8) 2 5/8" SL14S400



S500 (-9) 2 5/8" SL14S500 **NEW** A111 660

7050 Aircraft Alloy for fast swing speed

Ultra-thin 29/32" handle with pro tack grip

26/17
27/18
28/19
29/20
30/21
31/22
32/23
SIZES



S500 (-5) 2 5/8" SL14S500 **NEW** A111 661

7050 Aircraft Alloy for fast swing speed

Ultra-thin 29/32" handle with pro tack grip

30/25
31/26
32/27
SIZES



S400 (-8) 2 5/8" SL14S400 **NEW** A111 662

7046 Aircraft Alloy for fast swing speed

Ultra-thin 29/32" handle with cushioned grip

27/19
28/20
29/21
30/22
31/23
32/24
SIZES



JR BIG BARREL *POWER BRIGADE*



MAKO (-12) 2 3/4" JBB14MK **NEW**

A111 663

IMX™ Composite optimizes the sweet spot for maximum performance

Junior big barrel design recommended for use by ages 8 and under

Ultra-thin 29/32" composite handle with performance diamond grip

25/13
26/14
27/15
28/16
SIZES



XL3 (-10) 2 3/4" JBB14X3 **NEW**

A111 664

THT100™ Scandium alloy for an expanded sweet spot and greater durability

Junior big barrel design recommended for use by ages 8 and under

Ultra-thin 29/32" handle with performance diamond grip

25/15
26/16
27/17
28/18
SIZES





MAKO (-11) YB14MK



S1 (-12) YB14S1



XL1 (-10) YB14X1



S2 (-13) YB14S2



S3 (-13) YB14S3



XL3 (-11) YB14X3



MAKO TEE BALL (-13) TB14MK



XL TEE BALL (-10) TB14XL



MAKO (-11) YB14MK **NEW**

A112 762

New TCT™ Thermo Composite Technology for a massive sweet spot and unmatched bat speed

Patented two-piece ConneXion™ technology maximizes energy transfer for optimized feel

Ultra-thin 29/32" composite handle with performance diamond grip

28/17 2-1/4" BARREL
29/18 08.30.13 LAUNCH
30/19
31/20
32/21
SIZES 115



XL1 (-10) YB14X1 **NEW**

A112 764

IMX™ composite Monster Barrel design engineered for a massive sweet spot and maximum performance

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

Ultra-thin 29/32" composite handle with performance diamond grip

28/18 2-1/4" BARREL
29/19 08.30.13 LAUNCH
30/20
31/21
32/22
SIZES 115



S1 (-12) YB14S1 **NEW**

A112 763

IMX™ composite barrel optimizes the sweet spot for maximum performance

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

Ultra-thin 29/32" composite handle with performance diamond grip

28/16 2-1/4" BARREL
29/17 08.30.13 LAUNCH
30/18
31/19
32/20
SIZES 115



S2 (-13) YB14S2 **NEW**

A112 765

Feel optimized by patented two-piece ConneXion™ technology and SIC™ Black Carbon handle

THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability

Ultra-thin 29/32" composite handle with performance diamond grip

28/15 2-1/4" BARREL
29/16 11.01.13 LAUNCH
30/17
31/18
32/19
SIZES 115



S3 (-13) YB14S3 **NEW**

A112 766

THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability

Ultra-thin 29/32" handle with performance diamond grip

28/15 2-1/4" BARREL
29/16 11.01.13 LAUNCH
30/17
31/28
32/29
SIZES 115



XL3 (-11) YB14X3 **NEW**

A112 777

Extra-long barrel design for an expanded hitting zone

THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability

Ultra-thin 29/32" handle with performance diamond grip

29/18 2-1/4" BARREL
30/19 11.01.13 LAUNCH
31/20
32/21
SIZES 115



MAKO TEE BALL (-13) TB14MK **NEW**

A112 769

Durable aluminum alloy with end cap

Ultra-thin 29/32" handle with cushioned grip

24/11 2-1/4" BARREL
25/12
26/13
SIZES 115



XL TEE BALL (-10) TB14XL **NEW**

A112 770

Durable aluminum alloy with full rolled-over end

Ultra-thin 29/32" handle with cushioned grip

24/14 2-1/4" BARREL
25/15
26/16
SIZES 115





S500C (-12) YB14S500C



S500 (-13) YB14S500



S400 (-12.5) YB14S400



S300 (-12) YB14S300



S200 (-10) YB14S200



S50 (-10) YB14S50



S500C (-12) YB14S500C **NEW** A112 771

Feel optimized by patented two-piece ConneXion™ technology

28/16	2-1/4" BARREL 
29/17	
30/18	
31/19	
32/20	SIZES

7050 Aircraft Alloy for fast swing speed

Ultra-thin 29/32" handle with pro tack grip



S500 (-13) YB14S500 **NEW** A112 772

7050 Aircraft Alloy for fast swing speed

Ultra-thin 29/32" handle with pro tack grip

27/14	2-1/4" BARREL 
28/15	
29/16	
30/17	
31/18	
32/19	
	SIZES



S400 (-12.5) YB14S400 **NEW** A112 773

7046 Aircraft Alloy for fast swing speed

Ultra-thin 29/32" handle with cushioned grip

27/14.5	2-1/4" BARREL 
28/15.5	
29/16.5	
30/17.5	
31/18.5	
32/19.5	
	SIZES



S300 (-12) YB14S300 **NEW** A112 774

7046 Aircraft Alloy for fast swing speed

Ultra-thin 29/32" handle with cushioned grip

27/15	2-1/4" BARREL 
28/16	
29/17	
30/18	
31/19	
32/20	
	SIZES



S200 (-10) YB14S200 **NEW** A112 775

Durable Aluminum alloy

Ultra-thin 29/32" handle with cushioned grip

27/17	2-1/4" BARREL 
28/18	
29/19	
30/20	
31/21	
32/22	
	SIZES



S50 (-10) YB14S50 **NEW** A112 776

Durable aluminum alloy with full rolled-over end

Ultra-thin 29/32" handle with cushioned grip

26/16	2-1/4" BARREL 
27/17	
28/18	
29/19	
30/20	
31/21	
	SIZES





MAPLE COMPOSITE MC110



MAPLE COMPOSITE MC271



PRO GRADE MAPLE 110



PRO GRADE MAPLE 271



PRO GRADE MAPLE 243



PRO GRADE ASH 110



PRO GRADE ASH 271



PRO GRADE ASH 243



MAPLE COMPOSITE MC110

A110 180

Professional grade Green Mountain Maple™ with composite resin covered handle

32 31/32" HANDLE

110 turning model – Balanced design with standard knob and medium barrel

33 34 SIZES • [VIEW 50](#) •

90 day limited warranty on composite handle



PRO GRADE MAPLE 110

A110 184

Professional grade Green Mountain Maple™ - Identical quality to Easton bats used in Major League Baseball®

32 15/16" HANDLE

110 turning model – Balanced design with standard knob and medium barrel

33 34 SIZES • [VIEW 50](#) •

Pro ink dot tested for grain straightness



MAPLE COMPOSITE MC271

A110 181

Professional grade Green Mountain Maple™ with composite resin covered handle

32 31/32" HANDLE

271 turning model – Balanced design with standard knob and medium barrel

33 34 SIZES

90 day limited warranty on composite handle



PRO GRADE MAPLE 271

A110 185

Professional grade Green Mountain Maple™ - Identical quality to Easton bats used in Major League Baseball®

32 29/32" HANDLE

271 turning model – Balanced design with flared knob and medium barrel

33 34 SIZES

Pro ink dot tested for grain straightness



PRO GRADE MAPLE 243

A110 201

Professional grade Green Mountain Maple™ - Identical quality to Easton bats used in Major League Baseball®

32 29/32" HANDLE

243 turning model – End-weighted design with standard knob and long barrel

33 34 SIZES

Pro ink dot tested for grain straightness



PRO GRADE ASH 271

A110 188

Professional grade Alleghany Ash™ - Identical quality to Easton bats used in Major League Baseball®

32 29/32" HANDLE

271 turning model – Balanced design with flared knob and medium barrel

33 34 SIZES



PRO GRADE ASH 110

A110 187

Professional grade Alleghany Ash™ - Identical quality to Easton bats used in Major League Baseball®

31 15/16" HANDLE

110 turning model – Balanced design with standard knob and medium barrel

32 33 34 SIZES



PRO GRADE ASH 243

A110 189

Professional grade Alleghany Ash™ - Identical quality to Easton bats used in Major League Baseball®

32 15/16" HANDLE

243 turning model – End-weighted design with standard knob and long barrel

33 34 SIZES





BAMBOO/MAPLE HYBRID 110



BAMBOO 110



NORTH AMERICAN MAPLE 110



NORTH AMERICAN MAPLE 271



NORTH AMERICAN ASH B2000



NORTH AMERICAN ASH K2000



MAPLE YOUTH 110



MAPLE SOFTBALL BAT



BAMBOO/MAPLE HYBRID 110

A110 183

Hybrid – Natural bamboo with North American maple barrel

32 15/16" HANDLE

110 turning model – Balanced design with standard knob and medium barrel

33 34 • **WEIGHT 50** • SIZES

90 day limited warranty on handle



BAMBOO 110

A110 182

Natural bamboo

31 15/16" HANDLE

110 turning model – Balanced design with standard knob and medium barrel

32 33 • **WEIGHT 50** • SIZES

90 day limited warranty on handle

NORTH AMERICAN MAPLE 110 **NEW**

A110 204

North American hardwood maple

31 15/16" HANDLE

110 turning model – Balanced design with standard knob and medium barrel

32 33 34 SIZES

NORTH AMERICAN MAPLE 271

A110 198

North American hardwood maple

32 29/32" HANDLE

271 turning model – Balanced design with flared knob and medium barrel

33 34 SIZES

NORTH AMERICAN ASH B2000

A110 192

North American white ash

32 33 34 15/16" SIZES HANDLE

NORTH AMERICAN ASH K2000

A110 191

North American white ash

32 33 34 15/16" SIZES HANDLE

MAPLE YOUTH 110

A110 193

North American maple

29 30 31 7/8" SIZES HANDLE

MAPLE SOFTBALL BAT

A110 194

North American maple

34 7/8" SIZES HANDLE



MAPLE FUNGO MLF5

A110 195

North American maple

37 7/8" SIZES HANDLE

Colors: Black, Clear, Green, Honey, Navy, Orange, Purple, Red, Royal, Yellow

MAPLE FUNGO MLF6

A110 196

North American maple

34 7/8" SIZES HANDLE

Colors: Black, Clear, Honey, Navy, Red, Royal



FASTPITCH POWER BRIGADE

PERSONALIZE YOUR POWER

INTRODUCING MAKO.
THE FASTEST BAT THROUGH THE ZONE,
WITH THE MOST BARREL IN THE ZONE.

MAKO

Two-piece composite speed design with an extra long barrel

FS SERIES

Evenly balanced design for fast swing speed

FX SERIES

End loaded design with a massive sweet spot

FASTPITCH POWER BRIGADE



MAKO (-10) FP14MK

TWO-PIECE COMPOSITE SPEED DESIGN WITH EXTRA LONG BARREL



FS1 (-10) FP14S1

EVENLY BALANCED TWO-PIECE COMPOSITE DESIGN



FX1 (-9) FP14X1

END-LOADED TWO-PIECE COMPOSITE DESIGN



MAKO (-10) FP14MK **NEW** A113 227

New TCT™ Thermo Composite Technology for a massive sweet spot and unmatched bat speed

Feel optimized by patented two-piece ConneXion™ technology

Ultra-thin 29/32" composite handle with performance diamond grip

30/20
31/21
32/22
33/23
34/24
SIZES
08.30.13
LAUNCH

ASA, USSSA
NSA, ISA
SSUSA, ISF
CERTIFIED
(98MPH)

ASA
120
LAUNCH



FS1 (-10) FP14S1 **NEW** A113 228

IMX™ composite barrel optimizes the sweet spot for maximum performance

Feel optimized by patented two-piece ConneXion™ technology

Ultra-thin 29/32" composite handle with performance diamond grip

30/20
31/21
32/22
33/23
34/24
SIZES
11.01.13
LAUNCH

ASA, USSSA
NSA, ISA
SSUSA, ISF
CERTIFIED
(98MPH)

ASA
120
LAUNCH



FX1 (-9) FP14X1 **NEW** A113 229

IMX™ composite barrel optimizes the sweet spot for maximum performance

Feel optimized by patented two-piece ConneXion™ technology

Ultra-thin 29/32" composite handle with performance diamond grip

32/23
33/24
34/25
SIZES
11.01.13
LAUNCH

ASA, USSSA
NSA, ISA
SSUSA, ISF
CERTIFIED
(98MPH)

ASA
120
LAUNCH



FS2 (-10) FP14S2
EVENLY BALANCED ONE-PIECE COMPOSITE DESIGN



FX2 (-9) FP14X2
END-LOADED ONE-PIECE COMPOSITE DESIGN



FS3 (-12) FP14S3
HYPER-LITE EVENLY BALANCED ONE-PIECE COMPOSITE DESIGN



MAKO YOUTH (-11) FP14MKY



FS500 (-13) FP14S500



FS400 (-12) FP14S400



FS300 (-11) FP14S300



FS200 (-10) FP14S200



FS50 (-10) FP14S50



FS2 (-10) FP14S2 <small>NEW</small>	A113 230
IMX™ composite barrel optimizes the sweet spot for maximum performance	29/19 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Single System Composite Design for increased bat control	31/21 11.01.13 LAUNCH
Ultra-thin 29/32" composite handle with performance diamond grip	32/22 33/23 34/24 SIZES



FS3 (-12) FP14S3 <small>NEW</small>	A113 232
IMX™ composite barrel optimizes the sweet spot for maximum performance	28/16 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Single System Composite Design for increased bat control	30/18 11.01.13 LAUNCH
Ultra-thin 29/32" composite handle with performance diamond grip	31/19 32/20 33/21 34/22 SIZES



FX2 (-9) FP14X2 <small>NEW</small>	A113 231
IMX™ composite barrel optimizes the sweet spot for maximum performance	32/23 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Single System Composite Design for increased bat control	33/24 34/25 SIZES
Ultra-thin 29/32" composite handle with performance diamond grip	11.01.13 LAUNCH



MAKO YOUTH (-11) FP14MKY <small>NEW</small>	A113 233
Aluminum alloy with end cap	25/14 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Ultra-thin 29/32" handle with cushioned grip	26/15 27/16 28/17 29/18 30/19 31/20 SIZES



FS500 (-13) FP14S500 <small>NEW</small>	A113 234
7050 Aircraft Alloy for fast swing speed	28/15 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Ultra-thin 29/32 handle with cushioned grip	29/16 30/17 31/18 32/19 33/20 34/21 SIZES



FS200 (-10) FP14S200 <small>NEW</small>	A113 237
Durable aluminum alloy	28/18 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Thin 31/32" handle with cushioned grip	29/19 30/20 31/21 32/22 33/23 34/24 SIZES



FS400 (-12) FP14S400	A113 235
7050 Aircraft Alloy for fast swing speed	28/16 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Ultra-thin 29/32 handle with cushioned grip	29/17 30/18 31/19 32/20 33/21 SIZES



FS50 (-10) FP14S50 <small>NEW</small>	A113 241
Durable aluminum alloy with full rolled-over end	25/15 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Thin 31/32" handle with cushioned grip	26/16 27/17 28/18 29/19 30/20 SIZES



FS300 (-11) FP14S300 <small>NEW</small>	A113 236
Durable aluminum alloy	28/17 ASA, USSSA NSA, ISA SSUSA, ISF CERTIFIED (98MPH)
Thin 31/32" handle with cushioned grip	29/18 30/19 31/20 32/21 33/22 34/23 SIZES



SLOW-PITCH USSSA RAW POWER



B1.0 SP13B1
USSSA EVENLY BALANCED TWO-PIECE COMPOSITE DESIGN

BRETT HELMER PRO MODEL



L1.0 SP13L1
USSSA END-LOADED TWO-PIECE COMPOSITE DESIGN



B2.0 SP13B2
USSSA EVENLY BALANCED ONE-PIECE COMPOSITE DESIGN

BRIAN WEGMAN PRO MODEL



L2.0 SP13L2
USSSA END-LOADED ONE-PIECE COMPOSITE DESIGN



L5.0 SP13L5
USSSA END-LOADED ONE-PIECE COMPOSITE DESIGN



B1.0 SP13B1 A113 210

Feel optimized by patented two-piece ConneXion™ technology	34/26 34/27 34/28 SIZES	USSSA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	13.5" BARREL LENGTH	
SIC™ black carbon handle improves feel and reduces vibration		



L1.0 SP13L1 A113 211

Feel optimized by patented two-piece ConneXion™ technology	34/26 1oz 34/27 2oz 34/28 3oz 34/30 4oz SIZES	USSSA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	12" BARREL LENGTH	
SIC™ black carbon handle improves feel and reduces vibration		



L2.0 SP13L2 A113 213

Single System Composite Design increases bat control	34/26 1oz 34/27 2oz 34/28 3oz 34/30 4oz SIZES	USSSA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	12" BARREL LENGTH	
SIC™ black carbon handle improves feel and reduces vibration		



L5.0 SP13L5 A113 214

Single System Composite Design increases bat control	34/26 1oz 34/27 2oz 34/28 3oz 34/30 4oz SIZES	USSSA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	12" BARREL LENGTH	



B2.0 SP13B2 A113 212

Single System Composite Design increases bat control	34/26 34/27 34/28 SIZES	USSSA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	13.5" BARREL LENGTH	
SIC™ black carbon handle improves feel and reduces vibration		



B3.0 SP13B3
ASA EVENLY BALANCED TWO-PIECE COMPOSITE DESIGN

BRETT HELMER PRO MODEL



L4.0 SP13L4
ASA END-LOADED ONE-PIECE COMPOSITE DESIGN



L6.0 SP13L6
ASA END-LOADED ONE-PIECE COMPOSITE DESIGN



B3.0 SP13B3 NEW A113 215

Feel optimized by patented two-piece ConneXion™ technology	34/26 34/27 34/28 SIZES	ASA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	13.5" BARREL LENGTH	
SIC™ black carbon handle improves feel and reduces vibration		



L4.0 SP13L4 NEW A113 217

Single System Composite Design increases bat control	34/26 1oz 34/27 2oz 34/28 3oz 34/30 4oz SIZES	ASA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	12" BARREL LENGTH	
SIC™ black carbon handle improves feel and reduces vibration		



L6.0 SP13L6 NEW A113 218

Single System Composite Design increases bat control	34/26 1oz 34/27 2oz 34/28 3oz 34/30 4oz SIZES	ASA 120
IMX™ Composite barrel optimizes the sweet spot for maximum performance	12" BARREL LENGTH	





L7.0 SP13L7
USSSA/ASA END-LOADED TWO-PIECE SCANDIUM BARREL DESIGN



L8.0 SP13L8
USSSA/ASA END-LOADED SCANDIUM MULTI-WALL DESIGN



L9.0 SP13L9
USSSA/ASA END-LOADED ONE-PIECE SCANDIUM DESIGN



S500 SP14S500



S300 SP14S300



S50 SP14S50



L7.0 SP13L7	A113 223
Feel optimized by patented two-piece ConneXion™ technology	34/26 1oz 34/27 2oz 34/28 3oz SIZES END LOADED
THT100™ Scandium alloy barrel for an expanded sweet spot and greater durability	12" BARREL LENGTH
IMX™ Advanced composite handle	USSSA 120 ASA



L8.0 SP13L8	A113 224
Multi-wall design - THT100™ Scandium alloy shell with IMX™ inner core	34/26 1oz 34/27 2oz 34/28 3oz SIZES END LOADED
	12" BARREL LENGTH
	USSSA 120 ASA



L9.0 SP13L9	A113 225
THT100™ Scandium alloy for an expanded sweet spot and greater durability	34/26 1oz 34/27 2oz 34/28 3oz SIZES END LOADED
	12" BARREL LENGTH
	USSSA 120 ASA



S500 SP14S500 <small>NEW</small>	A113 238
7050 Aircraft Alloy for fast swing speed	34/26 34/28 34/30 SIZES
	USSSA 120 ASA



S300 SP14S300 <small>NEW</small>	A113 239
Durable aluminum alloy	33/26 34/28 34/30 SIZES
	USSSA 120 ASA



S50 SP14S50 <small>NEW</small>	A113 240
Durable aluminum alloy with full rolled-over end	32/25 33/26 34/28 34/30 SIZES
	USSSA 120 ASA

